



PRODUCT CATALOG

INTRODUCTION



'elcome to the MXL product catalog! MXL is a leading manufacturer of high performance microphones for professionals and recording enthusiasts around the world. Our award-winning design and engineering team continues to astound today's top artists, engineers, professional producers and businesses with microphones that deliver sonic perfection on stage, in the studio, and in the conference room.

We're extremely proud of our product line. From our elegant Studio Collection Series, to our wide-ranging line of Condenser and Ribbon microphones, MXL offers a microphone to fit any application and any budget. Take your time with our catalog. You'll discover an expanding product line that includes the MXL Live Series microphones for live and stage performances as well as a full line of field recording and USB microphones for podcasting, web conferencing and video chats.

Whether you're a seasoned professional or just starting out, we're confident you'll find an MXL microphone that's right for you. With over 10 years of customer satisfaction and outstanding sales growth, we want to thank you for your support and unwavering belief in our products.




The MXL Sales Team

www.mxlmics.com









GLOSSARY

Tube Microphones

Tube microphones produce a warm, rich sound that is desirable to many singers. The tube within our microphones amplifies sound and enhances harmonics for rich recordings.

Ribbon Microphones

Ribbon microphones are popular for their smooth, transparent, and natural sound. A true ribbon microphone, with its figure 8 pattern, offers the great authentic vintage tone desired by many recording enthusiasts.

Condenser Microphones

Condenser microphones are favorites in recording studios because of their ability to offer high sensitivity, low noise and the capability of capturing the finest nuances and details of your recording, performance, or live presentation.

Live Series Microphones

The new Live Series microphones are specially-designed to vastly improve tonal clarity of stage performances. The new LSM Series are built to broadcast standards and come in "warm and bright" versions. The LSC Microphones include three interchangeable capsules so owning one LSC mic is like owning three different mics in one!

USB Microphones

USB microphones are simple to use - just plug and play into any USB port and you're up and running. Designed for use with desktop or laptop computers, USB microphones are frequently used by song writers, podcasters, broadcasters, educators and videographers.



II MXL Microphones* are internally wired with Mogami, the highest quality cable A ll MXL Microphones^a are internally willed with mogaling, and you can buy, transmitting the purest audio signal directly from the source. MXL chooses only the finest components, assuring you the best quality recordings you can get from your microphone.

*Select microphones also include Mogami XLR cables!

Live Series Collection	80
Tube Microphones	11
Condenser Microphones	16
Ribbon Microphones	24
Studio Hardware	25
Instrument Microphones	26
Drum Microphones	28
Recording Packs	30
USB Microphones	32
Mic Mate [™] Series	37
USB Business Line	40
Field Recording	44
Accessories	48
Specifications	50

MEET SOME OF OUR MXL FANS...





CURTIS YOUNG/ HIP HOP ARTIST



MICHAEL RAPHAEL/ MUSIC PRODUCER

STEVIE "D" DI STANISLAO/ L.A. SESSION & TOURING DRUMMER



JONATHAN 'SUGARFOOT' MOFFETT/ MICHAEL JACKSON, MADONNA, SIR ELTON JOHN, JANET JACKSON, GEORGE MICHAEL, STEVIE WONDER, CAMEO, MORE





FINGAZZ/ RECORD PRODUCER



SEAN KINGSTON/ RECORDING ARTIST



GONZO SANDOVAL/ ARMORED SAINT



SPENCER GIBB GROUP



ALISA REYES/ ACTRESS, SINGER, PRODUCER





"The MXL Live Series condenser mic picks up my pronunciation so much better than other microphones I've used on stage. It's very powerful, I can sing into it and it doesn't crack. There's never any feedback, and there is much more clarity than other mics I've used. My Live Series has a good feel to it—it makes me feel like I have a lot of power in my hands."

ROM SANTANA TO THE NEW SOUND OF LATIN SOUL....It is no coincidence that this Northern California born native stays true to live musicianship. For the last eleven years (since 2000) Andy has sung for Carlos Santana in sold out stadiums around the world, performing to crowds in excess of 200,000 fans a night!



The Mic That Ushers in a New Era in Live Sound!

ur new Live Series microphones are specially-designed for live and stage performance. Outshining ordinary live microphones, the innovative Live Series uses condenser technology-vastly improving your performance, intelligibility and tonal clarity. In an instant, the interchangeable capsules can be exchanged providing a choice of three different microphone pickup patterns. Owning one MXL Live Series microphone is like owning three different mics in one!



Hand-held Condenser Mic for Live Performance

- * Outshines older live microphone technology in performance and vocal clarity
- * Designed for today's new artists utilizing today's new equipment
- * Like owning three mics in one!

art of MXL's Live Series Collection, the LSC-1N (nickel) and LSC-1B (black) are live/stage condenser microphones that were specially designed for superior live performance, but are so well designed you can also use them in the studio. The LSC has three interchangeable capsules, creating three different polar pattern choices (cardioid/omni/hyper-cardioid). The LSC also includes a roll-off switch with steep cutoff for reduced handling noise and minimized proximity effect.

INCLUDED ACCESSORIES



Cardioid/Omni/









LIVE SERIES COLLECTION

TUBE MICROPHONES



Meet the LSM Series, MXL's new dynamic microphones

ynamic microphones have been a popular choice for professional vocal and broadcast applications for many years. Meeting the needs of today's top artists, performers and live presenters, the new MXL LSM dynamic microphones are fine tuned to the requirements of professional broadcast studios.

Ruggedly constructed with a cardioid pattern, the LSMs are the quintessential microphones for eliminating unwanted feedback, providing the performer optimal results in a live performance, small assembly or arena setting.

_SM-5GR & 7GN

Hand-held Dynamic Microphones



LSM Series

- * Rugged construction
- * Great feedback rejection
- * Low handling noise
- ***** Convenient On/Off switch

LSM-5GR (Bright)

- * Bright and polished for optimal live vocals
- * Engineered to allow lead vocals to cut through the mix—providing excellent clarity in your performance

LSM-7GN (Warm)

- * Engineered with a warm and smooth tone that meets demanding broadcast standards
- * Specially optimized for live presentations or settings where no enhancement of tone is needed

roviding a solid low-end and clear high-end frequency spectrum, the LSM dynamic mics are the ideal microphones to reproduce your live performance or presentation. Enhancing the artist's nuances and expressions in rich detail, the LSM Series mics feature a convenient high reliability, magnetic contact on/off switch, enabling you to turn your mic off while it is not in use and leave it on stage while others are still performing. The LSM's cardioid patterns are ideal for eliminating unwanted feedback in live settings.

INCLUDED ACCESSORY





GLENN ROSENSTEIN Producer/Engineer (U2, Madonna, Talking Heads and many more)

s a producer/mixer/engineer, Glenn's projects have won three Grammy Awards, garnered five Grammy nominations, and have won an Oscar and a Golden Globe award.

"I shot out the REVELATION for an acoustic guitar session vs. my usual suspects. The Revelation beat them all—it sounds remarkable. I love this microphone."



He is the Vocal Director and personal Vocal Coach for Diddy in Making His Band and the Vocal Coach and background section leader on P. Diddy's StarMaker.



ROMEO JOHNSON Vocal Coach/Artist

I think The Revelation is the best mic overall for recording, whether you're singin' R&B, Gospel, Rock, Pop, Country or even Voice Over work."



TUBE MICROPHONES



REVELATION Variable Pattern Tube Microphone



- * Delivers rich, opulent and transparent sound
- * Can handle any recording task
- **Elegant midnight violet** custom body design

The MXL REVELATION is an extraordinary studio microphone that delivers the warmth and intimacy of a quality tube microphone with extended clarity and punch for balanced recording. A dual gold-sputtered, 6-micron diaphragm and hand selected EF86 pentode tube deliver warm, rich and transparent sound. It's custom body design minimizes resonance. The REVELATION's polar pattern selection is virtually limitless thanks to the variable knob, allowing the REVELATION to handle all of your recording tasks.

PRODUCERS

INCLUDED ACCESSORIES









Aluminum Flight Case

Power Supply

7-pin & XLR Mogami® Cables





Vacuum Tube Microphone



- * Rivals quality and performance levels of mics priced thousands of dollars
- * Stunning glossy crimson body with gold grill and accents

The MXL GENESIS has gained world-wide attention as an outstanding tube microphone with features and performance levels found in mics priced thousands of dollars. Known for its smooth, rich tone and silky high-end, MXL burns in each hand-selected, vintage Mullard 12AT7 tube for days prior to shipment, ensuring flawless performance every time.

VOCALISTS

INCLUDED ACCESSORIES


















TUBE MICROPHONES

"The MXL GENESIS is a microphone that just can't be ignored. Not only does it sound amazing, but it looks good too. I even asked if I could have one to wear around my neck!"

FINGAZZ Producer/Engineer/Artist



SHELDON REYNOLDS

Earth, Wind & Fire, The Commodores & many others

GENESIS



Why Use a Tube Microphone?

lust as tube amplifiers appeal to guitarists yearning for the warmly over driven tones they hear on old analog recordings, tube microphones hold a special place in the hearts of many singers keen to add a little vintage warmth to their vocals.



JBE MICROPHONES

TUBE MICROPHONES



=

GENESIS II

Dual Diaphragm Tube Microphone

- * Has all the features of the highly acclaimed GENESIS with the added feature of a dual diaphragm
- * Produces two sounds from one microphone — warm and bright!
- * Stunning glossy crimson body with gold grill and accents

he MXL GENESIS gained world-wide attention as an outstanding tube microphone with features and performance levels found in mics priced thousands of dollars. The GENESIS II takes it to a new height of quality, possessing all the outstanding features of the original GENESIS, with the added feature of a dual diaphragm which allows you to change the tonality of the mic to suit your application. The GENESIS II also includes the celebrated vintage Mullard 12AT7 vacuum tube, handselected for the highest quality.

SOON!

INCLUDED ACCESSORIES







Power Supply



Shockmount





XLR Mogami

V69MEDT Mogami® Edition Vacuum Tube Condenser Mic

- * Provides a winning combination of both crispness and warmth
- * Wired with world-class Mogami®
- * Distinguished jet-black body with a stunning 24K gold-plated grill

The MXL V69Medt is the standard of excellence for tube condenser microphones. This microphone continues to impress artists with its rich mid-range, punchy forward character, and mix-ready vocals. Featuring a dual triode tube for warm, rich sound, the V69Medt is a must-have tool for professional and home studios.

INCLUDED ACCESSORIES







Hard Mount Mic

XLR Mogami® Mic Cable & 7-pin

V67i TUBE

Dual Diaphragm Tube Microphone

- * Two sounds from one microphone — warm and bright!
- * Stately hunter green body with gold grill & detailing
- Wired with world-class Mogami®

PATENT PENDING

his classic tube mic lets you indulge in the harmonic richness of a classic vacuum tube and take advantage of today's leading-edge audio technologies. MXL is the only microphone company that uses an independently selectable capsule system that produces two sounds from one mic-warm or bright! Featuring a 12AT7 dual triode vacuum tube, a -10 dB attenuation pad and a high pass filter/bass roll off, the V67i Tube is the perfect solution to delivering superior sound quality on your recordings.

INCLUDED ACCESSORIES



Flight Case







Stand Adapter



Mic Cable & 7-pin Mogami® Cable

V69XM

Mogami® Edition Vacuum Tube Condenser Mic

- * An excellent choice for broadcast and voice over
- * Adds warmth and color to any performance
- * Distinguished jet-black body featuring gold grill and detailing

Internally wired with world-class Mogami cable, the V69XM special Mogami Edition is a versatile vacuum tube condenser microphone with a 32mm capsule and transformer balanced output for extremely high levels of tonal quality. The V69XM is a perfect complement to analog and digital recording devices and will give you superb vocal reproduction for years to come.

INCLUDED ACCESSORIES



Aluminum Flight Case Dedicated Power Supply

High-Isolation



Mic Cable & 7-pin Mogami® Cable



MXI V67 I







BROADCAST

CONDENSER MICROPHONES



rammy winner William Earl "Bootsy" Collins is a legendary American funk bassist, singer, and songwriter.


"I got the cream of the crop, the GENESIS for when we got singers or I just want to rap. The V67i has a nice warm sound but you can get hard with it as well. The MXL Gold 35 mic! Every time one of my Rap crew walks out the door I have to make sure my Gold 35 ain't walkin' with them."





on of legendary rapper/producer Dr. Dre, Curtis Young is an influential part of a new generation of left coast artists who can not only rap but produce as well.

"I have been to all the major recording studios in LA and Hollywood and have used some of the most expensive mics, but none of them do for me what MXL does. I am both impressed with the quality as well as with the design. MXL is a force to be reckoned with. I use them for all my recordings!"



CURTIS YOUNG Producer/Artist

Low-Noise Large Diaphragm Condenser Microphone

- * Highly esteemed by vocalists
- * Provides crystal clear sound quality and detail
- * Elegant classic body design in ivory with rich gold detailing

The MXL V177 combines visual appeal with modern condenser microphone technology. This large diaphragm cardioid condenser microphone is manufactured with premium materials and captures every vocal detail imaginable. The V177 is also versatile enough to use on all your finest instruments including percussion, piano, strings, and acoustic guitars where clarity and detail are essential.





INCLUDED ACCESSORIES





GOLD 35

Large Diaphragm Condenser Microphone

- * Excellent for broadcast and studio
- * Provides the ultimate warmth and openness
- * Gold-sputtered diaphragm for extremely accurate recordings
- * Striking gold-plated design

With its distinctive gold-plated finish, the MXL Gold 35 is designed for artists and musicians who want a studio mic that looks as good as it sounds. A gold-sputtered diaphragm with fixed cardioid pickup pattern and high SPL capability help this unique large-diaphragm condenser microphone reveal the most subtle sonic details. The Gold 35 excels in critical studio and broadcast applications as well as provides the ultimate warmth and openness.

INCLUDED ACCESSORIES











CONDENSER MICROPHONES

MXX V89

V89

Low-Noise Large Diaphragm Condenser Microphone

- * Large diaphragm captures every vocal detail and the sustain and harmonics of your finest instruments
- * For rich, natural and accurate recordings
- Distinctive custom body design in gunmetal gray

The V89 is a serious studio condenser microphone that can tackle any recording task—from the natural tone of your favorite quitar, to the subtle details of a fine piano, to the raw attack of screaming vocals. The custom body design minimizes body resonance, while a tuned grill cavity helps eliminate standing waves and reduces harmonic distortion.

INCLUDED ACCESSORIES



V88

recordings



Studio Condenser Microphone

* One of our most versatile mics!

· Use one V88 for smooth vocal

· Use two V88s for a well-defined

· Use three V88s for outstanding

piano and instrument recordings

stereo recording of overhead drums





The V88 is one of MXL's most flexible and

affordable studio condenser microphones.

Ideal for a wide range of applications, the MXL

V88 captures the rich, beautiful sounds of the

human voice and fine musical instruments. Versatility

makes the MXLV88 a perfect choice for broad-

the kind of quality typically found in much more

casting and digital work stations. You'll enjoy

expensive classic microphones.

V87

Low-Noise Condenser Microphone

- * Excellent for voice over and vocal recordings
- * Incredibly warm and transparent
- * Large gold diaphragm provides pinpoint accuracy
- * Sleek silver body design

This low-noise, big body condenser microphone is designed for the most critical recording applications. Engineered with a FET preamp and transformer-balanced output, the MXL V87 provides a punchy mid-range, tight low-end and offers immaculate voice over and vocal recordings.









Microphone Clip



Engrave Your

Name Here



Custom Studio Condenser Microphone



- * Truly unique: the first microphone with a removable nameplate for personal inscriptions
- * Solid mid-range presence with detailed "punch"
- * Winning classic chrome design

The MXL TROPHY is the first vocal and instrument microphone with a removable nameplate for personal inscriptions. A truly unique studio mic with a classic design, the TROPHY's capsule and grill design minimize early reflections and standing waves for sonic perfection in a variety of recording applications.





INCLUDED ACCESSORIES

















V67i PATENT PENDING

Dual Diaphragm Condenser Microphone

- * Like owning two mics in one!
- * Two sound choices: warm and bright
- * Outstanding performance at a reasonable price
- * Stately hunter green body with gold grill & detailing

The MXL V67i is like owning two mics in one the front side has a warm, opulent sound, and the back side simulates some of the brighter more airy sounding characteristics of early tube mics. If you're looking for several quality microphones but are on a limited budget, look no further, the V67i will give you the results you are looking for.





Storage Case

INCLUDED ACCESSORIES



detailing

V67G

even sound

Studio Microphone

***** Excellent for vocals!

Praised for its smooth,

for an open sound

* Transformer-coupled output

* Stately vintage body design in

hunter green with gold grill &





2010

quitar amps

sound

INCLUDED ACCESSORIES

Multi-Pattern Studio Microphone

* Excellent for drum overheads or

* Sweet, satiny and transparent

★ Sleek classic body design in nickel

* Wide dynamic range with

extremely low noise

esigned mainly for vocals, the V67G combines Class A FET circuitry and a transformer-coupled output for an open and pure sound. The V67G comes through with excellent vocals even in front of a busy mix and has great visual appeal with a gold-plated round grill and distinctive vintage inspired body.





V67Q

Stereo Condenser Microphone

- ***** Great for broadcasters and on-air personalities
- * Excellent studio quality stereo sound
- * Stately vintage body design in in hunter green with gold grill & detailing

cound designers, broadcasters and on-air personalities love the V67Q stereo microphone for its open tonality that complements close miking and captures the natural reverb of a room. With an XY stereo pattern, V67Q utilizes left and right capsules for a true stereo experience. The MXL V67Q performs remarkably well in recording live performances, capturing room sound, or for use as an overhead mic for studio recording.

INCLUDED ACCESSORIES

















INCLUDED ACCESSORIES

perfectly at home on vocals and instruments, what makes the MXL 2010 so versatile is MXL's multi-pattern design with omni, cardioid, and figure 8 polar patterns. The 2010 also includes a -10 dB attenuation switch for high sound pressure levels and a bass roll-off filter to effectively reduce rumble, pop and wind noise.









MXL

MXX 2006

2003A

Large Capsule Condenser Microphone

- ***** Excellent for capturing the pure tones of all vocals
- ***** Celebrated for its clarity, presence and detail in recordings
- * Elegant vintage body design in matte ebony with gold detailing

The MXL 2003A is your go-to mic for all of your recording applications like acoustic guitar, where clarity, presence, and detail are essential. A switch selectable bass cut and -10dB pad provide additional recording options, and a transformerless FET preamp offers exceptionally smooth and even response, pleasing even the pickiest of engineers.

INCLUDED ACCESSORIES









Shockmount

2006

Large Diaphragm Condenser Microphone

- * Excellent for miking electric guitar
- * A sweet, smooth sounding microphone
- * Simple, extremely effective recording
- * Lustrous silver classic body design

esigned with a large, highly sensitive 32mm condenser capsule, MXL 2006 captures the details and nuances of vocals, acoustic guitar, electric quitar cabinets, and even steps up for recording percussion. Its impressive sound quality is backed by impressive engineering like Class A circuitry and a balanced transformerless output for outstanding results in recording studios and live applications.

INCLUDED ACCESSORIES





Condenser Microphone

- * Legendary sonic characteristics with a vintage sound
- * Loved by vocalists for its solid bass
- * Outstanding performance at a very affordable price!
- * Compact body design in matte ebony with gold accenting

The MXL 770 continues to amaze recording artists all over the world with its incredible price/ performance ratio. Vocalists love the 770 for its solid bass, as well as its up front high-end. With a switchable bass cut and a -10 dB attenuation pad, the MXL 770 even uses a high quality FET preamp with balanced output for a wide dynamic range.



INCLUDED ACCESSORIES









440

Studio Condenser Microphone

- **★ Complements a wide range of vocal** and instrument applications
- * Large gold diaphragm studio condenser offers pristine sound
- * Fine glossy black body with gold detailing

The MXL 440 is a handsomely sturdy studio condenser microphone designed to complement a wide variety of vocal and instrument applications. By combining a FET preamp with an electricallybalanced output, the MXL 440 delivers an uncompromised tonal quality perfect for all studio applications.



INCLUDED ACCESSORIES



STUDIO GEAR



.09 in / 180 mn

R77 & R77L Classic Ribbon Microphone

- * Excellent for recording acoustic and electric guitars
- * Smooth, silky classic sound
- * Radiant gold and silver vintage body design
- Wired with world-class Mogami® cable

he MXL R77 is a classic ribbon microphone that delivers unbelievably neutral sound and stunning realism to vocal and instrument recordings. Powerful and versatile, the R77 incorporates a Figure 8 polar pattern for extended sweet spots as well as a 1.8-micron aluminum ribbon for smooth lows and natural highs.









OPTIONAL

The limited-edition R77L Classic Ribbon Microphone includes a world-renowned Lundahl transformer for superior tonal quality.

AUTHENTIC RIBBON

TONE



R144

Ribbon Microphone

- * Excellent for miking guitar amps
- ***** Glossy, sheer, and natural
- * Sleek compact body design in indigo

This beautiful ribbon microphone is amazingly real on vocals and spectacular on instrument recordings, especially quitar amps. Incorporating a true Figure 8 polar pattern and a 1.8-micron aluminum ribbon, the R144 offers smooth, transparent, and neutral sound.

INCLUDED ACCESSORIES







MPAC-01 nleash your creative genius with the MXL MPAC-01—a state-of-the-art microphone preamp/compressor designed for today's recording equipment. This exceedingly quiet mic preamp adds more than enough Microphone Preamp/Compressor gain and includes features like an analog dBu meter for precise signal

- * Eye-catching candy apple red finish
- * Clean and transparent tonality so it won't color your sound
- * Sturdy construction for long-term reliability
- * In just one rack space, you also get a fully controllable VCA compressor

monitoring, -20dB pad for high decibel recordings (i.e., quitar amps, kick drums), balanced input/output and an unbalanced insert jack, variable frequency high pass filter (50-175Hz) for precise control of low end frequencies, and supplies +48V switchable phantom power. The MPAC-01 utilizes THAT Corporation 1512 Opamps which are known for their exceptional low noise performance and extremely low THD+N through the full audio bandwidth. This no-compromises preamp has a clean and transparent tonality so it won't color your sound. The MPAC-01 even functions as a compressor to control dynamics.

What is "Phantom Power?"

hantom power enables condenser microphones to operate. Phantom power is DC power, typically in the form of a 48 volt signal which is supplied to condenser microphones by either a dedicated preamplifier, a preamplifier built into an audio mixer's input channel, or a computer interface with a built-in preamp.



INSTRUMENT MICS

INSTRUMENT MICS



Large vs. Small Diaphragms

arge diaphragm microphones (LDMs) are commonly the choice for recording studio vocals, and any instrument where a "deeper" sound is desired. A large diaphragm microphone basically "warms" up the sound of the recording, which also leads to the myth that most LDMs reproduce low frequencies better than small diaphragm mics; this isn't true, in fact, small diaphragm mics are much better at reproducing everything evenly, including bass. You'll want a pop filter if using a condenser for vocals; they're sensitive to the "P" and "SH" sounds you make and can cause distortion.

mall diaphragm microphones (SDMs) are generally the best choice when you want a solid, wide frequency response and the best transient response, which as we mentioned before, is the ability for your microphone to reproduce fast sounds, such as stringed instruments. SDMs are also the preferred choice for concert taping.

Small Diaphragm Condenser Microphone

- * Excellent for concert taping
- * Delivers stellar performance and wide dynamic range
- * Handles the most demanding instrument miking applications
- * Sleek nickel plated body design

The MXL 604 instrument microphone delivers the versatility and dynamic range musicians and artists crave for acoustic guitars, drums, high-hat cymbals, pianos, percussion, stringed instruments and more. Using transformerless FET circuitry and a gold diaphragm capsule design, the MXL 604 also features -10 dB switchable attenuation pad, low-frequency roll-off, and an interchangeable omnidirectional capsule.



INCLUDED ACCESSORIES









Omnidirectional Capsule

603 Pair/603S Single

Instrument Microphone Pair

- * Ideal for recording orchestras, operas or stage shows
- * Open, transparent sound
- * Easy to use and ready to record on stage or in studio
- * Sleek nickel plated body design

signed with professional and working musicians in mind, the 603 Instrument Microphone Pair delivers the natural acoustic properties you need for overhead drums, piano, string instruments, and more. Designed with a gold-sputtered, 6 micron gold diaphragm, the 603 Pair is ideal for recording your orchestra, opera, stage show, etc. Also available as a single mic (MXL 603S); shockmount not included.



V67N

Small Diaphragm Condenser Microphone

- * Our most versatile instrument mic, the V67N includes interchangeable
- * Excellent for miking all instruments for clear, balanced recordings
- * Stately hunter green body with stunning gold detailing

The MXL V67N is a robust condenser microphone that provides just the right amount of power, presence and clarity. Hand-selected components and transformer balanced output deliver a solid bottom end and exposed top, making it perfect for drums, piano, quitar, choirs, and many other applications.









INCLUDED ACCESSORIES

















GONZO SANDOVAL



JONATHAN MOFFETT

"In the studio or live, I love my MXL mics! The A-55 Kicker equals punch, power and clarity!"

GONZO SANDOVAL

Drummer/Recording Artist - Armored Saint



STEVIE "D" DI STANISLAO

"The A-55 kicker bass drum mic delivers both punch and clarity! The CUBE mic speaks well on tom toms."

STEVIE "D" DI STANISLAO

L.A. Session & Touring Drummer

"When I play drums, it's emotional, dynamic and sensitive. The mics I use must translate the attitudes, sentiments and sensitivities that I exert. MXL mics translate these expressions from my mind, body and soul. What I give, they give. The audience hears, understands and feels it the way I intended them to. MXL Microphones speak for me and my "linguistics of sound!"

JONATHAN MOFFETT

Drummer - The Jacksons, Madonna, Diana Ross, Elton John

DRUM CUBE

Drums & Percussion Condenser Microphone

- * Acclaimed by pros as an outstanding mic for toms!
- * Use on drum sets, bongos, congas and more!
- * Contemporary body design in glossy

The MXL Drum CUBE is one of the world's best mics for drums and percussion. This unconventional-looking mic delivers big, fullbodied sound that's powerfully detailed. Its gold sputtered, 6-micron diaphragm delivers professional sound, while a high SPL rating delivers on loud drums. Use it once, and the only thing you'll cherish more than your MXL Drum CUBE is its amazingly low price.



INCLUDED ACCESSORIES







A-55 KICKER

Dynamic Drum Microphone

- * Superior on kick drums!
- * Renowned for delivering punch and clarity
- * Built for abuse with durable metal construction
- * Cool jet black body

The MXL A-55 Kicker is an impressively mighty dynamic mic for kick drums, bass cabinets, congas or any other lowfrequency instruments. Built for abuse with durable metal construction, the MXL A-55 captures deep bass and high end punch and has a clean and clear pick up for fast attacks.

INCLUDED ACCESSORIES



Leatherette Pouch











RECORDING PACKS

RECORDING PACKS





2001A/600

Recording Pack

- * Based on our wildly successful 2001 released years ago!
- * Perfect for use in your project
- * Glossy jet-black and sleek nickel duo

\/ou can't beat the classics but you can reissue them and even improve them! Based on our wildly successful 2001 released years ago, the MXL 2001A/600 Recording Pack includes a vocal condenser mic that's perfect for use in your project studio. Also included in this commemorative pack is the MXL 600, a versatile instrument mic for drums, guitars, and more.

INCLUDED ACCESSORIES





















- * Ideal for quality oriented but budget-minded musicians
- * Captures robust vocals and exceptional instrument clarity
- Glossy body in fire engine red with silver detailing

The MXL 550/551 Recording Ensemble delivers outstanding performance for both vocals and instruments. Ideal for quality oriented but budget-minded musicians, the MXL 550/551 has a robust vocal condenser microphone with exceptional clarity and tonal quality, as well as an instrument microphone with the dynamic range needed for a wide variety of instruments. The 550 contains a FET preamp with electrically balanced output for high quality, high-gain, low-noise recordings.

INCLUDED ACCESSORIES







Hard Mount

440/441

Recording Ensemble

- * Complements a wide variety of vocal & instrument applications
- * Perfect for use on the road, on acoustic instruments & on overhead studio drums
- * Glossy solid body in ebony with gold accenting

The MXL 440/441 is a beautiful microphone ensemble designed to complement a wide variety of vocal and instrument applications. The 440 studio condenser microphone delivers an uncompromising tonal quality perfect for all project studio applications, while the MXL 441 instrument microphone provides the dynamic range needed for demanding instrument applications.

MXD

INCLUDED ACCESSORIES







Mic Stand Adapte

DRK

Desktop Recording/Podcasting Kit

- ***** Excellent choice for podcasters or voice over artists!
- * Provides professional sounding music recordings into your laptop or desktop
- * MXL DRK-Mac version available (includes MXL iBooster)

The DRK Mic Kit is a fully selfcontained battery or phantom power condenser microphone kit that provides professional sounding music recordings. Pair it with the optional MXL iBooster and the DRK can plug into the line-in port of most computers for use in voice over recording, location work, or podcasting.

INCLUDED ACCESSORIES



















MXD. 550

5.24 in / 133 mm

551





USB VOCAL & INSTRUMENT MICS USB VOCAL & INSTRUMENT MICS





What is "24-bit Performance?"

it Depth refers to the number of bits you have to capture audio. A 24 bit performance provides higher audio resolution, allowing for a wider dynamic range and the most precise capture of your audio signal into digital audio work stations.

MXD Studio 24 USB

24- bit USB Microphone

- * Studio quality recordings
- * Includes GUI (graphical user interface) for more precise control over gain structure
- Sleek silver body
- * Includes a free trial of **REAPER® CD software**

The MXL Studio 24 USB microphone is the perfect tool for traveling musicians, podcasters, and anyone who works with pro audio and wants high end features coupled with the convenience of USB technology. Designed specifically for recording, the 24bit/48kHz USB microphone offers plug-and-play simplicity along with the highest level of sonic detail and the kind of audio normally found only in expensive, high-end multi-channel computer interfaces. The Studio 24 is unique in that it includes a Graphical User Interface (GUI) to control the analog functions within the mic, allowing the user to fine-tune audio adjustments such as phase, roll-off, and noise gate for greater control over the resulting sound. Other high-end features include a large condenser capsule with 6-micron gold diaphragm and a front panel that includes a headphone jack for monitoring recordings with zero delay.

INCLUDED ACCESSORIES









USB.009

24-bit/96kHz USB Condenser Microphone

- * The first USB microphone to record at 24-bit/96 kHz!
- * Easy installation with no special drivers required
- * PC and Mac compatible
- * Elegant silver exterior with vibrant blue led light

The first USB microphone to record at 24-bit/96kHz without expensive equipment, the USB.009 offers plug and play recording with high performance sound quality. This patented, feature-rich USB mic includes a large diaphragm and 32mm capsule, hand-selected components, a 1/8-inch headphone jack for zero latency monitoring, and analog rotary knobs to dial in just the right mix.

INCLUDED ACCESSORIES

















Desktop Stand

Hard Mount



USB VOCAL & INSTRUMENT MICS USB VOCAL & INSTRUMENT MICS







USB-77 **USB** Microphone

- * Look and feel of a vintage mic
- * Instant professional CD quality
- ★ Record with your favorite software
- **PC** and Mac compatible
- Vintage inspired body in glossy ebony with silver grill and

he MXL USB-77 gives vocalists, musicians, broadcasters and podcasters the look and feel of a vintage microphone with all the conveniences of USB technology—including a headphone jack and analog gain control right on the mic! Record vocals, instruments and conduct interviews in style while experiencing studio level sound quality and zero latency direct monitoring. You don't have to buy expensive studio gear; simply plug it into your computer and record with your favorite software.

INCLUDED ACCESSORIES



Flight Case









USB.007

Stereo USB Microphone

- * Ideal for live concerts, film/video & stereo sound effects
- ***** Delivers outstanding clarity
- * Completely plug-and-play for both PC and Mac
- * Classy glossy silver finish

The MXL USB.007 mic opens up new possibilities for direct stereo recording with a standard computer such as live performances in the professional, school and home environment. It's also a very exciting tool for podcasting, multimedia, news and broadcast applications using portable computers for remote stereo recording of concerts, lectures, and more.



INCLUDED ACCESSORIES





***** Excellent choice for broadcasting

* Extremely smooth and natural

* No mixers, preamps or special

studio gear required

* Classy gloss silver finish



USB Cardioid Condenser Microphone



The MXL USB.006 Cardioid Condenser

Microphone has an extremely smooth and

natural sound. Completely plug and play, the

MXL USB.006 doesn't skimp on quality with a

gold-sputtered diaphragm and 20Hz-20kHz

frequency response. It even has a 3-position,

to configure this mic to just about any

switchable attenuation pad that makes it easy





USB.008

USB Condenser Microphone

- * A great announcer's mic!
- * No mixers, preamps or special studio gear required
- * Completely plug and play for both PC and Mac
- * Glossy ebony finish

elivering a new level of quality to for all types of music and recording sound effects. Plus, with MXL's USB line of microphones, you don't have to buy expensive studio gear—just plug into your computer, set your preferences, and enjoy instant professional CD quality recordings.

INCLUDED ACCESSORIES









desktop recording, the MXL USB.008 is not only a great announcer's mic but works

INCLUDED ACCESSORIES



sound









sound source.

















PRO-1B

USB Condenser Microphone

- ***** Excellent for any over-the-internet communications service like ooVoo, Skype, AIM, Google Talk and iChat
- * Dramatically reduces background
- * Connects to a PC or Mac
- * Easy to set up with no additional power requirements

et the most out of video conferencing with the MXL Pro-1B. This high quality USB microphone is designed specifically for recording, podcasting, and video chats. It works wonderfully with any over-the-internet communications service like ooVoo, Skype, AIM, Google Talk and iChat. The MXL Pro-1B dramatically reduces background noise and can also be used to record music and vocals right to your desktop or laptop computer.



INCLUDED ACCESSORIES







New retail hang tag

STUDIO 1



Desktop Recording Kit

- * Warm and accurate sound reproduction
- * Completely plug and play for both PC and Mac
- * No mixers, preamps or special studio gear required
- * Rugged construction in gunmetal gray with black grill

The Studio 1 provides professional quality recordings of vocals and instruments directly into your computer. This very versatile audio toolkit is perfect for musicians, vocalists, podcasters, internet radio, digital music, Skype calls, voice-over recordings and sound effects. The Studio 1 USB mic is also well suited for recording meetings, lectures, and radio show interviews. The Studio 1 Includes 1/8-inch headphone jack for low latency monitoring.













Mic Mate™ USB

MINIMER KIT Record, listen and mix like a pro— at home, in the studio, or on the road



The Mic Mate™ USB Mini Mixer Kit puts the power of professional listening and recording in the palm of your hand! This portable all-in-one kit is perfect for musicians and composers, video voice overs, podcasters and educators who want quality sound recordings without having to buy

or lug bulky, expensive audio gear. Simply plug the Mic Mate™ Mini Mixer into your PC or Mac, listen or record with your favorite software and experience the difference a professionally-mixed recording can make.

INCLUDED ACCESSORIES











Mics not included













"A huge part of the T4 Show is its podcast and YouTube videos. I strive to make both media outlets as professional as possible and MXL microphones help me do just that. Pairing the V87 with a Mic Mate Pro allows a professional sound without a mixer. I can attest that you cannot go wrong with ANY MXL product. "

MICHAEL MANNA T4 Show and also Dr. Stevie from TNA Wrestling

MIC MATE™ PRO

XLR to USB Adapter with Gain

- * Excellent for overdubbing or playing along with music
- * Plug and record with your favorite software
- * Features gain and headphone controls
- * Works with virtually all microphones
- * USB powered!
- * Instantly start recording without any special driver installations

This incredibly versatile and compact universal interface facilitates the connection of condenser recording microphones directly to your computer via USB, effectively converting your existing microphone into a USB microphone. Instantly start recording without any special driver installations — simply plug-and-play! To further simplify use, the MXL Mic Mate™ Pro

* Supplies phantom power

handles microphone gain and headphone volume adjustments with low profile rotary knobs, while the built-in headphone jack allows for zero-latency direct monitoring. Studio-quality computer recording is now within the reach of every aspiring musician and recording enthusiast.

MIC MATETM CLASSIC

- * PAR Excellence award winner!
- **★ Converts any existing condenser** microphone to USB
- * Plug and record with your favorite software
- * No special drivers required
- * Travel size body in champagne

Mic Mate™ Classic converts any existing condenser microphone to USB, providing 48V phantom power. Complete with a studio-quality USB microphone preamp, fully balanced low-noise analog front end, and 3-position analog gain switch, the Mic Mate[™] Classic's size, 0.85" OD x 5.75" long, is perfect for travel.



MIC MATETM DYNAMIC

- * Converts any existing dynamic microphone to USB
- * Incredibly versatile and compact
- * Easy plug and record no special drivers required!
- * Compact travel size with durable die cast metal construction

This studio-quality USB dynamic microphone / preamp facilitates the connection of dynamic microphones directly to a computer via USB — effectively converting any dynamic microphone into a USB microphone. To further simplify using the microphone with a computer, the MXL Mic Mate™ Dynamic handles analog gain adjustment settings via a built-in three-position attenuation switch and has an input impedance of 4.98k Ohms balanced.



MIC MATETM INE LEVEL

- * The no-hassle solution for gathering news feeds, transferring audio from video, and archiving
- *** Compact travel size with durable** die cast metal construction

eed line level sources to your computer with the Mic Mate™ Line Level adapter and enjoy studioquality results. This pocket-sized device features a 16-bit Delta Sigma A/D converter with a sampling rate of 44.1kHz and 48.0kHz, three selectable gain levels (+10 dB, +4dB and -10 dB), and a fully balanced low-noise analog front end.







USB MICS: BUSINESS LINE

USB MICS: BUSINESS LINE •





MXL USB MICS DELIVER!

aving top quality, reliable communication tools is crucial for effective business. Internet-based companies like ooVoo, Skype and Google Talk are providing ways to connect, engage, and increase productivity for businesses of all sizes, while reducing money on travel and time to make decisions. Today, thanks to improvements in software and technology, video conferencing solutions offer clear, crisp video images and high sound quality. Organizations looking to deliver the best in tone, definition, and coverage can enhance their audio experience with MXL USB microphones.

AC-400 GOOSENECK MICROPHONE

- * USB powered—plug it into your computer and you're ready to chat
- * Enjoy crystal clear audio on Skype, ooVoo, iChat, Google Talk and AIM
- * Connect up to four mics with the AC-40EXT gooseneck extension mics
- * Ideal for web conferencing and video chats
- * Mac and PC compatible



AC-404 USB Conference Microphone

↑ top selling USB conference mic, the AC-404 USB is a high quality microphone that dramatically improves voice quality on conference calls.

- * Delivers outstanding sound quality even in noisy environments
- * Turn any location into a conference room
- * Built-in headphone/speaker monitoring jack
- * Includes 6' USB cable, headphone/speaker jack and leatherette zipper case
- * Mac and PC compatible









USB MICS: BUSINESS LINE

USB MICS: BUSINESS LINE •



INTRODUCING THE AC-406 USB DESKTOP COMMUNICATOR WITH OPTIONAL GOOSENECK EXTENSION MICROPHONE

The MXL AC-406 USB Desktop Communicator is like having a personal communications assistant right at your finger tips. Advanced boundary microphone design with 180-degree coverage makes internet conference calls feel like you're in the middle of the action. The AC-406 also performs exceptionally well with speechto-text software programs and functions as a high quality speaker for playing music right from your desktop.





Back View

High fidelity web conferencing featuring advanced boundary microphone technology

- * Three capsule boundary design with 180° coverage allows maximum feedback rejection
- * Excellent pick up response in large conference rooms
- High quality speaker replaces bulky computer
- * Connect up to four mics with the AC-40EXT gooseneck extension mics
- * Connects to your computer's USB port—
- Includes headphone output jack and mute

Expand Your Video Chat & Web Conferencing with MXL USB Gooseneck Microphones

AC-40EXT GOOSENECK EXTENSION














AC-408 **USB** Conference Microphone

↑ top selling USB conference mic, the AC-408 USB is a high quality microphone that dramatically improves voice quality on calls.

- * Delivers outstanding sound quality even in noisy environments
- * Turn any location into a conference room
- * Includes 6' USB cable, headphone/ speaker jack and leatherette zipper case
- *** Connect additional boundary mics with** the AC-42EXT to extend coverage.
- * Mac and PC compatible

What Is a Boundary Microphone?

ypically low profile, unidirectional microphones (180°), boundary mics use a cardioid pickup pattern that favors sound coming directly in front of the microphone and is less sensitive to sound coming from behind the microphone element. These features make boundary mics ideal for conferencing, recording interviews, live concerts and studio recording sessions.



See MXL's Boundary Microphones on page 47.



FIELD RECORDING

FIELD RECORDING





FR-304 14.5" Shotgun Microphone

- * Great choice for the consumer, semi-pro or professional videographer on the go
- * Self-powered via AA battery or camera supplied power

The MXL FR-304 Shotgun Microphone is a great choice for the consumer, semi-pro or professional videographer on the go. The FR-304 includes a FET Preamp and can be used in a variety of situations either under its own power or via camera and is supplied with a standard AA battery with 160+ hour life.



INCLUDED ACCESSORIES





Mic Stand Adapter





FR-303

6" Shotgun Microphone

- * Perfect for digital and analog videographers
- * Built-in XLR cable



▼ / hen the subject is farther than a built-in camera mic will effectively record, you'll need a good shotgun mic like the FR-303. Measuring 6 inches in length, the FR-303 offers clear, high quality recordings and is perfect for videographers who want a shorter mic mounted on camera.

INCLUDED ACCESSORIES



Windscreen





Hot Shoe

FR-301

16.5" Super-Cardioid Shotgun Microphone

- * Phantom Powered
- * Clear, accurate recordings
- * Designed for video production and broadcast applications

signed for video production and broadcast applications, the MXL FR-301 phantom powered shotgun microphone offers clear, accurate recordings and exceptional side rejection. Measuring over 16 inches, the FR-301's narrow pattern allows you to single out your subject when there is unwanted background noise the built-in camera mic can't handle. This mic can also be used for general video recordings like weddings as well as for Foley work and interviews.

- 16.5 in / 419 mm

INCLUDED ACCESSORIES



Windscreen





Mic Stand Adapter





FIELD RECORDING

FIELD RECORDING

FR-300 10" Shotgun Microphone

- * Clear, high quality recordings
- Great for weddings, Foley work, and interviews
- * Point and record your audio

The MXL FR-300 phantom powered shotgun microphone allows videographers to reach out to subjects for clear, high quality recording. The MXL FR-300 can also be used for general video recordings like weddings as well as for Foley work, interviews, and other settings when the distance to the subject is farther than the built-in camera mic will allow.



INCLUDED ACCESSORIES



Windscreen





FR-355K Lavalier Interview Kit

- * Incredible flexibility for interviews
- * Two for the price of one!

his economical and unobtrusive Lavalier interview kit is designed for general speech and interview applications. Wired for 48V phantom power, the FR335k interview kit includes two Lavalier mics: one with an omni pick-up pattern and one cardioid pattern.







Cardioid*

Omni*

*Windscreens included

FR-400

Boundary Microphone

- * Ideal for stage, live performances, instrumental recordings, and houses of worship
- * Wide reaching range

Ithough it's commonly used in front of a stage to pick up concerts or theater events, the FR-400 boundary mic has a wide cardioid pattern and can be used in other applications like under the lid of a piano. The switch located on the bottom of the mic can be used to boost or cut low frequencies by 6 dB in order to balance the frequency response for smooth, natural sound.



FR-401

Boundary Microphone

- ***** Great for stage, live performances, interviews, and podcasting
- * Easy podium placement
- * Built-in 15' XLR cable

The MXL FR-401 boundary mic is designed to pickup multiple sources from a distance while avoiding unwanted sounds from behind the mic. Some common applications include recording interviews, live concerts, studio recording sessions, or plugging directly into a video camera to make sure you get all the audio on set.



FR-402

Boundary Microphone

- * Wide pattern for stage, live performance, interviews, houses of worship, podcasting, and concerts
- * Includes 15' mini XLR-to-XLR cable

The MXL FR-402 is a multipurpose boundary mic with a wide pattern and low profile. You can use this mic on a number of different sources in almost any location. It's also right at home on a conference table, recording interviews, connected to a video camera for field recording or capturing audio from a concert or play.






ACCESSORIES





MXL BCD-Stand

Professional studio desktop microphone stand with built-in XLR cable. Includes screw mount and clamp mount



MXL USM-001

Universal heavy-duty basket shockmount (fits most MXL microphones)




MXL 41-603

High-isolation shockmount (MXL 603, 604, 600, V67N and 991)



MXL USM-002


Universal low profile shockmount (fits most MXL microphones)





MXL DS-01

Universal desktop tripod mic stand with extendable legs






DS-03

Desktop microphone table stand



PF-001

Universal condenser microphone pop filter




MXL-60

High-isolation shockmount designed for use with the GENESIS (Also available in black)



PF-002 (Black)


Universal metal mesh pop filter





PF-003 (Silver)

Universal metal mesh pop filter





PF-004-G (Gold)

Metal mesh pop filter for GENESIS (Fits mics with diameter of 57.25mm or 21/4". Also fits MXL 960, 4000, 992, 990 USB)



PF-005-G (Gold)

Metal mesh pop filter (Fits mics with diameter of 47.25mm or 1 7/8". Also fits MXL V67G, V67i, V67i Tube, 2001, 2003, 2006, V67Q, V63M, 3000, 909, and 990)



MXL 603/604 Omni Cap

Pair of omnidirectional capsules for MXL 603 and 604 mics



MXL WS-001

Windscreen for large grill microphones such as MXL V67G, V67i, 2006, V69, V6 and more



MXLWS-002

Windscreen for larger grill microphones (MXL 990, 960, 992, 770, 4000 and **GENESIS)**



MXLH-03

Hard mount mic stand adapter (MXL 603, 604, V67N and 991)



MXL MT-001

Hard mount mic stand adapter for most MXL microphones



MXL-V6-H

Hard mount mic stand adapter (MXL V6, M3, V87, USB.009 and Studio 1 USB)



MXLPS-69

Replacement power supply for V69 microphone



PF-004-SS (Silver)

Metal mesh pop filter for MXL 4000 (Fits mics with diameter of 57.25mm or 21/4". Also fits MXL 960, 992, and 990 USB)



PF-004-G (Gold)

Metal mesh pop filter for GENESIS (Fits mics with diameter of 57.25mm or 21/4". Also fits MXL 960, 4000, 992 990 USB)



MXL iBooster

Signal compatibility interface for Mac computers



Marshall Professional Microphone Cable

For studio recording & audio broadcasting. Available in lengths of 3. 6. 10. 15. and 25 feet



MXL USB Cable 6

6 ft. USB 2.0 cable



MXL-V69 Cable1

15 ft. Mogami tube microphone cable for MXL V69 (XLR 7-pin)



MXL's Multi-use Microfiber Cleaning Cloth

A professional-grade polishing & cleaning material for microphones, instruments, computer screens, cell phones and more (Part #: MXL-CL/CL-01)









Warranty:

Warranty:

Demystifying Polar Charts

A cardioid O microphone picks up sound from the front of the microphone, less sound from the sides, and has good rejection of sound to the back of the microphone. Cardioid mics are recommended for vocal applications, live, recording, and in situations where the acoustics are good but not perfect. The cardioid pattern is also good for vocal and instrument recording in a studio environment.

A hyper-cardioid microphone picks up sound from the front of the mic and rejects sound from the sides and back. Hyper-cardioid microphones help reduce feedback and are recommended for indoor and outdoor applications where the acoustics are less than ideal. The narrow directional pattern also helps minimize sound bleed.

An omni-directional O microphone picks up sound equally from all sides of the mic. Omni-directional mics are recommended for environments with very good acoustics as they tend to pickup ambient noise. Omni-directional mics are less sensitive to plosives, handling noise, and proximity effect. These mics are well suited for close miking live sound reinforcement. For live applications, however, an experienced live sound engineer may be necessary.

A figure-8 microphone picks up sound equally from both sides of the mic's diaphragm. It rejects sound from the sides, as a cardioid pattern would, but picks up sound equally well from the rear as it does the side.

Most ribbon microphones are in figure-8 configurations. Due to their sensitivity, ribbon microphones are recommended for harsh, high-SPL environments. Figure-8 microphones are commonly used in "mid-side" recording setups.

LSC-1N & 1B Hand-held Condenser Mic

Specifications

condenser mic Diaphragm: Gold-sputtered, 6 micron diaphragm Frequency Range 20 Hz-20 kHz Polar Pattern: Cardioid/ Omni/Hyper-cardioid Sensitivity: -45 dB re 1 V/Pa Impedance: 150 ohms


Equivalent Noise: -16 dBA

(A-weighted IEC 651)


S/N Ratio: 78 dB Max SPL for 0.5% THD: 148 dB SPL Power Requirements Size: 7"x 2"

Weight: 0.8 lbs /362.87q Metal Finish: LSC-1N Nickel/ LSC-1B Black

Polar Pattern



Frequency Chart





REVELATION Variable Pattern Tube Microphone

Warranty: 3 yrs./90 days tube

Warranty: 3 yrs./90 days tube


Warranty: 3 yrs.

Specifications


Type: Variable Pattern Tube Condenser Microphone Diaphragm: Dual Goldsputtered, 6 micron diaphragm Tube Type: **EF86**

Frequency Range Continuously Variable Sensitivity: -40 dB re 1 V/Pa Impedance: 140 ohms Pre-Attenuation Switch 0 dB. -10 dB S/N Ratio: 76 dB

Polar Pattern



Frequency Chart



GENESIS Vacuum Tube Microphone

Equivalent Noise Level: -18

dBA (A-weighted IFC 651)

Max SPL for 0.5% THD:

High Pass Filter: 12 dB/

Power Requirements:

110/220 VAC, 50/60Hz

Revelation Power Supply Unit

Size: 7 1/2" X 2 1/2"/190mm x

Weight: 2lbs/907g (mic only)


octave @ 125Hz

63.5mm (mic only)


Equivalent noise: 18 dB **Specifications** A-weighted IEC 268-4) Tube Type: Mullard 12AT7 S/N Ratio: 78 dB Diaphragm: 6 micron (Ref. 1Pa A-weighted) Max SPL for 0.5% THD: 130 gold-sputtered Frequency Response dB/140 dB (0dB, -10 dB pad) 20Hz - 20kHz Power Requirements Polar Pattern: Cardioid dedicated power supply Capsule size: 32mm Output Impedance Size: 2.3 in x 9.4 in/59mm

200 ohms Weiaht: 1.55 lbs/703a Pre-Attenuation Switch 0 dB, -10 dB Metal Finish: Red with High Pass Filter: 6 dB/

Polar Pattern



Frequency Chart



GENESIS II Dual Diaphragm Tube Microphone

V69Medt Mogami[®] Edition Vacuum Tube Microphone


Specifications Type: Pressure gradient

32mm capsule Diaphragm: 6 micron gold sputtered Frequency Range: 20Hz -18kHz Polar Pattern: Cardioid Sensitivity: 22 mv/Pa Impedance: 200 ohms Equivalent Noise: 22 dB (A weighted IEC 268-4) S/N Ratio: 72 dB (Ref. 1 Pa A weighted)


Max SPL for 0.5% THD: Power Requirement 110/220 VAC 50-6 Hz/ Dedicated power supply Size: 1.85 in. x 8.5 in/ 47mm x 218mm

Weight: 1 lb/453g Metal Finish: Black with

Polar Pattern



Frequency Chart



V67i TUBE Dual Diaphragm Condenser Microphone

Warranty: 3 yrs./1 yr. tube

Specifications

Type: Pressure gradient tube Diaphragms: 6 and 8 micron Capsule size: 32mm/1.26 in Frequency Range: 20Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 22 mv/Pa Impedance: 200 ohms

Equivalent Noise: 22 dB (A weighted IEC 268-4) S/N Ratio: 72 dB (Ref. 1 Pa A weighted) Max SPL for 0.5% THD: 140/150 dB (0dB/-10dB pad 110/220VAC/50-60Hz/ Dedicated power supply Size: 47mm x 184mm

Equivalent Noise Level: -20

dBA (A-weighted IEC 651)

Max SPL for 0.5% THD:

110/220 VAC. 50-60Hz

Dedicated power supply

Size: 1.8 in x 7.2 in./

Weight: 1.05 lbs/476g

Metal Finish: Black wit


122 dB SPL

Power Requirem


High Pass Filter: 6 dB/

Weight: 1.5 lbs Attenuation Switch: 0 Metal Finish: Green with

Polar Pattern



Frequency Chart



V69XM Mogami[®] Edition Vacuum Tube Condenser Microphone


Specifications

dB.-10 dB


Type: Pressure gradient tube Diaphragm: 6 micron, gold-sputtered Frequency Range: 20Hz - 20kHz Polar Pattern: Cardioid Sensitivity: -28 dB re 1V/Pa Impedance: 200 ohms Output: Transformer balanced

S/N Ratio: 74 dB

Polar Pattern



Frequency Chart



V177 Large Diaphragm Condenser Microphone


Warrantv: 3 vrs

Specifications


Type: Pressure gradient Diaphragm: Gold-sputtered, Frequency Range: 20 Hz-20 kHz Polar Pattern: Cardioid Sensitivity: -41dB re 1 V/Pa Impedance: 200 ohms Equivalent Noise Level -13dBA (A-weighted IEC 651) Max SPL for 0.5% THD: 145dB SPL Power Requirements: 48V phantom power (+/- 4V) Current Consumption:

Size: 65mm x 180mm/2.5 Weight: 1.75 lb Color: White and Gold

Polar Pattern



Frequency Chart





Warrantv: 3 vrs

GOLD 35 Large Diaphragm Condenser Microphone

Warranty: 3 yrs


Specifications

Type: Condenser pressure gradient mic Capsule: 35mm/ 1.37 in. capsule Diaphragm: 6 micron gold-sputtered Frequency Range: Polar Pattern: Cardioid Sensitivity: 26mV/Pa Impedance: 150 ohms S/N Ratio: 81 dB


Equivalent Noise Level: 14 dBA (A-weighted IEC 651) Max SPL for 0.5% THD: Power Requirements: Phantom Power 48V (+/-4V)

Current Consumption: Size: 2.24 in. x 9.25 in./ 57mm x 235mm Weiaht: 1.7 lbs/771a Metal Finish: Gold plated

Polar Pattern



Frequency Chart



V89 Low-Noise Large Diaphragm Condenser Microphone

Warranty: 3 yrs

Specifications

(Ref. 1Pa A-weighted)


Type: Pressure gradient studio condenser mic Capsule size: 32mm/1.26 in Diaphragm: 6 micron gold-sputtered Frequency Range: 20 Hz - 20 kHz Polar Pattern: Cardioid Sensitivity: -32 dB re 1 V/Pa Impedance: 150 ohms Max output 1K load: +13 dB

Equivalent Noise: 14 dB (A-weighted IEC 651)


(Ref. 1 Pa A-weighted) Max SPL for 0.5% THD: Dynamic Range: 124 dB **Power Requirements** Phantom Power 48V +/- 4V Size: 2.5 x 7.2 in/ 64mm x 185mm Weiaht: 1.85 lbs/839a

S/N Ratio: 80 dB

Metal Finish: Grey



Polar Pattern




V88 Studio Condenser Microphone

Warranty: 3 yrs.

Specifications


Type: Pressure gradient Capsule: 32mm capsule Diaphragm: 6 micron gold-sputtered Frequency Range: 20Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 25 mv/Pa Impedance: 150 ohms Equivalent Noise: 14 dB (A-weighted IEC 651) S/N Ratio: 80 dB (Ref. 1 Pa A weighted

Max SPL for 0.5% THD: 138 dB Power Requirements: 48V phantom power (+/- 4V) Size: 2.08 in x 5.7 in./ 53mm x 146mm Weight: 1 lb/453q Metal Finish: Nickel plated



Polar Pattern

Frequency Chart



V87 Low-Noise Condenser Microphone

Warranty: 3 yrs.


Specifications

Type: Pressure gradient condenser microphone Diaphragm: 6 micron gold-sputtered Capsule size: 32mm Frequency Range: Polar Pattern: Cardioid Impedance: 200 ohms S/N Ratio: 85.5 dB (Ref. 1Pa A-weighted) Equivalent Noise Level: 8.5 dB (A weighted IEC 268-4)


Max SPL for 0.5% THD: 136 dB

Power Requirements: 48V phantom power (+/- 4V) Size: 1.8 in.x 7.4 in./ 47mm x 190mm Weight: 1.1 lbs/498g

Polar Pattern



Frequency Chart



THE TROPHY Custom Studio Condenser Microphone

Specifications

Type: Pressure gradient condenser mic Capsule: Side-tapped 34mm Diaphragm: Gold-sputtered, 6 micron diaphragm Frequency Range: 20 Hz-20 kHz Polar Pattern: Cardioid Sensitivity: -41.9dB re 1 V/Pa Impedance: 200 ohms S/N Ratio: 83dB Equivalent Noise Level:


-11dBA (A-weighted IEC 651)

142dB SPL Power Requirements: 48V phantom power (+/- 4V) Current Consumption Size: 52mm x 165mm/


Max SPL for 0.5% THD:

2.05 in. x 6.50 in. Weight: 1.70lb/760a Metal Finish: Chrome

Polar Pattern



Frequency Chart



V67i Dual Diaphragm Condenser Microphone

Warranty: 3 yrs.

Warranty: 3 yrs.

Specifications


Type: Selectable pressure aradient 32mm capsules Diaphragms: 6 and 8 micron gold-sputtered Frequency Range: Polar Pattern: Cardioid Sensitivity: 22 mv/Pa Impedance: 200 ohms Attenuation Switch: 0 dB. -6 dB High Pass Filter: 6 dB

Equivalent Noise: 20 dB (A weighted IEC 268-4) S/N Ratio: 78 dB , (Ref. 1 Pa A weighted) Max SPL for 0.5% THD: 140 dB


phantom power (+/- 4V) **Size:** 1.8 in x 7.2 in/ Weight: 1.3 lbs/589g Metal Finish: Green with

Power Requirements: 48V

Polar Pattern



Frequency Chart



Specifications


20 Hz - 20 kHz

per side


V67Q Stereo Condenser Microphone

Type: Pressure gradient S/N Ratio: 80 dB 22mm capsules in XY stereo (Ref. 1 Pa A weighted)
Max SPL for .5% THD: Diaphragms: 6 micron gold-Power Requirements: 48V phantom power (+/- 4V) Frequency Range: Size: 1.8in x 72 in/ Polar Pattern: 90° XY Stereo 47mm x 184mm Weight: 2.35 lbs/106g Sensitivity: 20 mv/Pa Metal Finish: Green with Impedance: 100 ohms gold grill

Polar Pattern



Frequency Chart



(A weighted IEC 651)

V67G Large Capsule Condenser Microphone

Warranty: 3 yrs.


Specifications

Type: Pressure gradient 32mm capsule Diaphragm: 6 micron gold-sputtered Frequency Range 30Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 15 mv/Pa Impedance: 200 Equivalent Noise: 20 dB (A weighted IEC 268-4) (Ref. 1 PA A weighted)


Max SPL for 0.5% THD:

130 dB Power Requirements Phantom Power 48V +/- 4V **Size:** 47 mm x 184 mm/1.8mm x 7.2in Weight: 1.3 lbs/589g Metal Finish: Green with

Polar Pattern




Frequency Chart



SPECIFICATIONS

SPECIFICATIONS



Warranty: 1 yr./Ribbon not covered

Warranty: 1 yr./Ribbon not covered

Warranty: 1 yr.

2010 Multi-Pattern Studio Microphone

Specifications

Type: Pressure gradient 32mm capsule Diaphragm: 6 micron gold-sputtered Frequency Range: 30 Hz - 20 kHz Polar Pattern: Cardioid Figure 8/Omni Sensitivity: 15 mv/Pa Impedance: 200 ohms Attenuation Switch: High Pass Filter: 6 dB/

octave @ 150 Hz

Specifications

Type: Pressure gradient

Diaphragm: 3 micron

Polar Pattern: Cardioid

Impedance: 200 ohms

Equivalent Noise Level 11 dB (A-weighted IEC 651)

S/N Ratio: 83 dB

Sensitivity: -42.9dB re 1 V/Pa

gold-sputtered Frequency Range:

20Hz - 20kHz

(A weighted IEC 268-4) S/N Ratio: 74 dB (Ref. 1 Pa A weighted) Max SPL for 0.5% THD: (0dB, -10 dB pad) Power Requiremen

48V phantom power Size: 1.9 in x 7.4 in/ Weight: 1.16 lbs/526g Metal Finish: Nickel plated

Max SPL for 0.5% THD:

Power Requirements: 48V

phantom power (+/- 4V)

Current Consumption:


Weight: 1 lb/453.59q

Size: 1.97 in. x 7.48 in./


Metal Finish: Black with

152 dB SPL


Polar Patterns





Frequency Chart



2003A Low Noise Condenser Microphone







2006 Large Diaphragm Condenser Microphone

Warranty: 3 yrs.

Warranty: 3 yrs

Warranty: 3 yrs.

Specifications


32mm capsule Diaphragm: 6 micron aold-sputtered Frequency Range: 30Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 18 mv/Pa Impedance: 150 ohms Equivalent Noise: 16 dB (A weighted IEC 268-4) S/N Ratio: 78 dB (Ref. 1 Pa A weighted

Max SPL for 0.5% THD: 130 dB Power Requirements: 48V phantom power (+/- 4V)


Size: 1.8 in x 7.2 in/ 47mm x 183mm

Weight: 1.3 lbs/589g Metal Finish: Nickel plated

Polar Pattern



Frequency Chart



770 Condenser Microphone

Warrantv: 1 vr

Specifications


Type: Pressure gradient 22mm capsule Diaphragm: 6 micron gold-sputtered Frequency Range: 30Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 15 mv/Pa Impedance: 150 ohms Pre-Attenuation Switch 0 dB.-10 dB High Pass Filter: 6 dB/ octave @ 150Hz

(A weighted IEC 268-4) S/N Ratio: 74 dB Max SPL for .5% THD: 137 dB Power Requirements: 48V phantom power (+/- 4V)


Equivalent Noise: 20 dB

Size: 2.3in x 6.2in/ Weight: 1 lb/453g Metal Finish: Black

Polar Pattern



Frequency Chart



440 Studio Condenser Microphone

Specifications

Type: Pressure gradient condenser microphone Frequency Range: 30 Hz - 20 kHz Polar Pattern: Cardioid Sensitivity: 15mV/Pa

Impedance: 2000 S/N Ratio: 80dB (Ref. 1Pa A-weiahted) Equivalent Noise Level:

(A weighted IEC 268-4)

Specifications

Type: Ribbon Velocity

Ribbon Element: 1.8-micror

Microphone

20Hz -18kHz

(0 dB=1V/Pa)

aluminum ribbor

Frequency Range:

Sensitivity: -55 dB

Polar Pattern: Figure 8

Impedance: 270 ohms

Rated Load Impedance

Max SPL for 0.5% THD:

Power Requirements: 48\ Phantom Power (+/- 4V) Current Consumption: Size: 2 in. x 7 in./53mm >

Weiaht: 1.2 lbs/544a Metal Finish: Black with gold print

Max SPL for 0.1% THD:

Size: 2.56 in x 7.09 in/

Weight: 1.9lbs/860g

Metal Finish: Gold and

Max SPL for 0.1% THD: >130 dB @1 kHz

Size: 47mm x 171mm,


Weight: 400g/0.85 lbs

Metal Finish: Purple and


1.85 in. x 6.75 in.

65mm x 180mm


Polar Pattern




Frequency Chart



R77/R77L Classic Ribbon Microphone



Frequency Chart



R144 Ribbon Microphone


Specifications

Type: Ribbon Velocity Microphone


Ribbon Element: 1.8-micror aluminum ribbon Ribbon Length: 47mm Frequency Range:

Polar Pattern: Figure 8 Sensitivity: -56 dB (0 dB=1V/Pa) Impedance: 250 ohm Rated Load Impedance >1500 Ohms

Polar Pattern



Frequency Chart



V67N Small Diaphragm Instrument Microphone

Equivalent Noise Level:

Max SPL for 0.5% THD:

Power Requirements: 48\

phantom power (+/- 4V)

148 dB SPL

-16dBA (A-weighted IEC 651)

Warranty: 3 yrs.

Specifications


Type: Pressure gradient Diaphragm: Gold-sputtered, Frequency Range: 20Hz - 20kHz Polar Pattern: Cardioid/ Sensitivity: 49 dB re 1 V/Pa Impedance: 150 ohms

Output: Transformer


S/N Ratio: 78 dB

Current Consumption: Size: 4.8 in x .0 in/ 124mm x 23mm Weight: 0.2 lbs/90g Metal Finish: Green with aold arill

Polar Pattern



Frequency Chart



SPECIFICATIONS

SPECIFICATIONS



Warranty: 3 yrs.

Warranty: 1yr.

604 Small Diaphragm Condenser Microphone

Specifications

Type: Pressure gradient 22mm capsule Diaphragm: 6 micron Frequency Range: 30 Hz Polar Pattern: Cardioid Omnidirectional Sensitivity: 15 mv/Pa


Impedance: 150 ohms

0 dB, -10 dB


Pre-Attenuation Switch

High Pass Filter: 6 dB/ octave @ 150 Hz Equivalent Noise: 17 dB (A weighted IEC 268-4) S/N Ratio: 77 dB (Ref. 1 Pa A weighted) Max SPL for 0.5% THD: Power Requirements: 48V phantom power (+/- 4V)

Size: 86 in x 5.2 in/ 22mm x 133mm Weight: 0.3 lbs/136g Metal Finish: Nickel plated



Frequency Chart



603 PAIR/ 603S SINGLE Instrument Microphone or Microphone Pair

Cardioid

Warranty: 3 yrs.

Specifications

Type: Pressure gradient condenser capsule Diaphragm: 6 micron gold-sputtered Frequency Range: 30Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 10mV/Pa Impedance: 200 ohms S/N Ratio: 80 dB (Ref. 1Pa A-weighted) Equivalent Noise Level: 18

dB (A weighted IEC 268-4)

Max SPL for 0.5% THD: Power Requirements: 48V

phantom power (±4V) Size: 86 in. x 5.2 in./ 22mm x 133mm

Weight: 0.3 lb/136q (individual mic weight Metal Finish: Silver

Power Requirements

Current Consumption


Metal Finish: Black with

Size: 4.75" x 2"


Weight: 0.85 lbs.

48V Phantom Power (+/- 4V)

Polar Pattern



Frequency Chart



DRUM CUBE Drums & Percussion Condenser Microphone


Warranty: 3 yrs.

Warranty: 1yr.


Specifications

Type: Pressure gradient Diaphragm: 6 micron gold-sputtered Frequency Range 20Hz - 20kHz Polar Pattern: Cardioid Sensitivity: 20mV/Pa Impedance: 100 Ohms Max SPL: 132 dB S/N Ratio: 80 dB, 1kHz @1Pa Equivalent Noise: 14 dB (A weighted IEC 268-4)

Polar Pattern



Frequency Chart




A-55 KICKER Dynamic Drum Microphone

Specifications

Type: Dynamic Frequency Range: 30Hz - 15kHz Polar Pattern: Cardioid Sensitivity: -76 dB (+/-3dB @ 1kHz) Impedance: 300 Ohms Size: 60 x 130mm Weight: 540a Metal: Finish: Black

Frequency Chart



2001A/600 Recording Pack

Specifications

2001A

Type: Pressure gradient 32mm capsule Diaphragm: 6 micron gold-sputtered Frequency Range: 20Hz - 20kHz

Polar Pattern: Cardioid Sensitivity: 15mV/Pa

Impedance: 200 ohms Output: Transformer balanced


S/N Ratio: 80dB (Ref. 1Pa A-weighted Equivalent Noise Level: 20 dB (A weighted IEC 268-4)


Max SPL for 0.5% THD: 130 dB


Current Consumption: <3.0mA Size: 1.9 in. x 7.4 in./50mm x 190mm


Weight: 1.2 lbs/544a Metal Finish: Black with gold print

2001A Frequency Chart & Polar Pattern









550/551R Recording Pack

Specifications

Type: Pressure gradient condense microphone

Frequency Range: 30Hz - 20kHz Sensitivity: 15mV/Pa

Impedance: 200 ohms

S/N Ratio: 80 dB (Ref. 1Pa A-weighted) Equivalent Noise Level: 20 dB (A weighted IEC 268-4)

Max SPL for 0.5% THD: 130 dB Power Requirements: 48V phantor

power (+/- 4V) Current Consumption: <3.0mA

Size: 18in x 6 6 in /47mm x 170mn Weight: 0.8 lbs/362g

Metal Finish: Red with chrome ari

Type: Pressure gradient condenser

Type: Pressure gradient condenser

Frequency Response: 30 Hz - 20 kHz

S/N Ratio: 80 dB (Ref. 1Pa A-weighted)

Power Requirements: 48V phantom

microphone

Polar pattern: Cardioid

Sensitivity: 10mV/Pa

Impedance: 200 ohms

Equivalent noise: 18 dB

(A-weighted IEC 268-4)

power (+/- 4V) Current Consumption: <3.0mA Size: .86 in. x 5.3 in./22mm x 135mm

Weight: 0.35 lbs/158g

Metal Finish: Nickel

Max SPL for .5% THD: 134 dB

Frequency Range: 30 Hz - 20 kHz Polar Pattern: Cardioid

Sensitivity: 15mV/Pa Impedance: 110 ohms


S/N Ratio: 78dB (Ref. 1Pa A-weighted) Equivalent Noise Level: 20 dB (A weighted IEC 268-4)


Max SPL for 0.5% THD: 137 dB Power Requirements: 48V Phantom Power (+/- 4V)

Current Consumption: <3.0mA Size: .86 in. x 5.2in./22mm x 134mm Weight: 0.2 lbs/90g


Metal Finish: Red with chrome grill


550 Frequency Chart & Polar Pattern





551 Frequency Chart & Polar Pattern





440/441 Recording Pack

Specifications

Type: Pressure gradient condenser microphone

Frequency Range: 30 Hz – 20 kHz Polar Pattern: Cardioid Sensitivity: 15mV/Pa Impedance: 2000 S/N Ratio: 80dB (Ref. 1Pa A-weighted

Equivalent Noise Level: 20 dB (A weighted IEC 268-4) Max SPL for 0.5% THD: 130 dB Power Requirements: 48V Phanton

Current Consumption: <3.0mA Size: 2 in. x 7 in./53mm x 180mn Weight: 1.2 lbs/544g

Metal Finish: Black with gold prin

Type: Pressure gradient condense Frequency Range: 30 Hz – 18 kHz


Equivalent Noise Level: 20 dB


Polar Pattern: Cardioid Sensitivity: 15mV/Pa Impedance: 110Ω S/N Ratio: 78dB (Ref. 1Pa A-weighted)


(A weighted IEC 268-4) Max SPL for 0.5% THD: 137 dB Power Requirements: Phantom Powe 48V ±4VI


Current Consumption: <3.0mA Size: .86 in. x 5.2 in./22mm x 134mm Weight: 0.35 lbs/158g Metal Finish: Black with gold prin

440 Frequency Chart & Polar Pattern












SPECIFICATIONS

SPECIFICATIONS



Warranty: 1yr.

Warranty: 1yr.

Warranty: 1yr.

Warranty: 1yr.

STUDIO 24 24-bit USB Microphone

before A/D: Physical rotary and

software based with Mute

Noise Gate with variable

• Leveler with variable Attack,

Release, Max & Min Threshold

• Output Mixer controls Zero

Computer Playback Level and

Mute, and Master Headphone Level and Mute.

GUI is Windows (XP/Vista/7)

and Mac 10.5/10.6 compatible

Latency Monitor Level and Mute,

· Signal Phase invert

threshold and attack

Specifications

Type: 24-bit USB microphone Diaphragm: Gold Sputtered Capsule: 22mm Polar Pattern: Cardioid

Frequency Response: 20Hz to 20kHz High Pass Filter Settings:

- 120Hz, 235Hz, 465Hz Power Requirement: Zero Latency monitoring with
- built in Headphone Output Supported Bit Depths and Sample Rates: 24-Bit, 48kHz; 24-Bit, 44.1kHz; 16-Bit, 48kHz

Specifications

Type: 24-bit USB microphone

Capsule size: 1.26 in./32mm

Dynamic range: 114 dB

Diaphragm: 6-micron gold-sputtered


Frequency response: 20Hz to 20kHz

Compatible: USB 1.1 & 2.0 compatible


Sample rates available: 44.1kHz, 48kHz, 96kHz

Bit depths available: 16 and 24

Polar Pattern 2-stage analog gain control



Frequency Chart




Warranty: 3 yrs.

Warranty: 3 yrs.


Warranty: 3 yrs.

USB.009 24-bit/96kHz USB Microphone

Polar Pattern



Frequency Chart



USB-77 USB Microphone


Specifications

Type: USB Diaphragm: Gold Sputtered Capsule: Large 32mm Polar Pattern: Cardioid Frequency Response: 20Hz - 20kHz


S/N Ratio: 89 dB A/D Converter: 16-bit Delta Sigma Bus Powered

Compatible: USB 1.1 and 2.0

Polar Pattern



Frequency Chart



USB.008 USB Condenser Mic

Compatible OS: Mac

Metal Finish: Black and

Windows 7

Size: 8 ¾" x 4 ½"

Weight: 1.85lbs

(OS X), Windows (XP/Vista),

Specifications


Type: USB mic Capsule: Large 32mm

Diaphragm: Gold-sputtered


Frequency response: 20Hz to 20kHz Sampling rate: 44.1kHz and 48kHz Compatible: USB 1.1 & 2.0

A/D converter: 16-bit delta sigma with THD+N = 0.01%

Polar Pattern



Frequency Chart



USB.007 Stereo USB Condenser Mic

Specifications Type: USB mic

Capsules: Two 22mm capsules in a 90 degree XY configuration


Diaphragm: 6-micron Gold-sputtered diaphragm Frequency response: 20Hz to 20kHz

Sampling rate: 44.1kHz and 48kHz


Compatibility: USB 1.1 and 2.0

A/D converter: 16-bit delta sigma with THD+N = 0.01%





Frequency Chart



USB.006 USB Cardioid Condenser Microphone

Specifications Type: USB mic


Diaphragm: Gold-sputtered Capsule: 22mm capsule

Compatibility: USB 1.1 & 2.0


Frequency response: 20Hz to 20kHz Sampling rate: 44.1kHz and 48kHz

A/D converter: 16-bit delta sigma with THD+ = 0.01%

Polar Pattern



Frequency Chart



PRO-1B USB Condenser Microphone


Specifications Type: USB mic

Capsule: 16mm capsule


Frequency response: 40Hz to 20kHz Sampling rate: 44.1kHz and 48kHz Compatibility: USB 1.1 & 2.0

A/D converter: 16-bit delta sigma with THD+N = 0.01%

Polar Pattern



Frequency Chart



STUDIO 1 USB Desktop Recording Kit

Frequency Chart




Specifications


Capsule: 16mm capsule


Frequency response: 40Hz to 20kHz Sampling rate: 44.1kHz and 48kHz Compatibility: USB 1.1 & 2.0

A/D converter: 16-bit delta sigma with THD+N = 0.01%











Marshall Electronics

Professional Audio Division, El Segundo, CA
Phone: (310) 333-0606 ■ (800) 800-6608 ■ Fax: (310) 333-0688
www.mxlmics.com ■ www.mogamicable.com ■ sales@mxlmics.com

©2011 Marshall Electronics, Inc. All rights reserved

Designed and engineered in the USA

All logos for Marshall and all other references are trademarks and copyrights of their respective owners.